

| Bearings Symbol | d | D | B | r (min) | Load Rating (daN) | | Maximum Speed RPM | |
|--------------------|------|-----|----|------------|-------------------|----------------|----------------------|----------|
| | | | | | Dynamic (C) | Static (Co) | Plain, Z,ZZ,N | RS, 2 RS |
| 6000 | 10 | 26 | 8 | 0.3 | 455 | 195 | 25000 | 18000 |
| 6001 | 12 | 28 | 8 | 0.3 | 510 | 240 | 23000 | 16000 |
| 6002 | 15 | 32 | 9 | 0.3 | 560 | 290 | 19000 | 13000 |
| 6003 | 17 | 35 | 10 | 0.3 | 605 | 325 | 17000 | 12000 |
| SP6003 | 17 | 35 | 10 | 0.3 | 680 | 336 | 17000 | - |
| 6004 | 20 | 42 | 12 | 0.6 | 940 | 550 | 15000 | 10000 |
| 6005 | 25 | 47 | 12 | 0.6 | 1010 | 580 | 13000 | 8500 |
| 6006 | 30 | 55 | 13 | 1.2 | 1320 | 830 | 11000 | 7000 |
| 6006M | 30 | 55 | 11 | 1.2 | 1320 | 830 | 11000 | 7000 |
| 6007 | 35 | 62 | 14 | 1.0 | 1600 | 1030 | 9500 | 6000 |
| 6008 | 40 | 68 | 15 | 1.0 | 1680 | 1160 | 8500 | 5500 |
| 6010 | 50 | 80 | 16 | 1.0 | 2180 | 1650 | 7000 | 4500 |
| 6200 | 10 | 30 | 9 | 0.6 | 600 | 260 | 23000 | 15000 |
| 6201 | 12 | 32 | 10 | 0.6 | 690 | 305 | 20000 | 15000 |
| 6201GE | 12.7 | 32 | 10 | 0.6 | 690 | 305 | 20000 | - |
| 6202 | 15 | 35 | 11 | 0.6 | 770 | 350 | 18000 | 12000 |
| 6203 | 17 | 40 | 12 | 0.6 | 960 | 480 | 16000 | 11000 |
| 6203 M | 12.7 | 40 | 12 | 0.6 | 960 | 480 | 16000 | 11000 |
| 6203 RRS | 17 | 40 | 12 | 0.6 | 960 | 480 | - | 11000 |
| 6204 | 20 | 47 | 14 | 1.0 | 1280 | 665 | 13000 | 9000 |
| 62/22 | 22 | 50 | 14 | 1.0 | 1600 | 790 | 13000 | - |
| 6205 | 25 | 52 | 15 | 1.0 | 1400 | 785 | 12000 | 8000 |
| 6205 RRS | 25 | 52 | 15 | 1.0 | 1400 | 785 | - | 8000 |
| 62/28 | 28 | 58 | 16 | 1.2 | 1790 | 981 | 10000 | - |
| 6206M | 20 | 62 | 16 | 1.0 | 1950 | 1120 | 10000 | 6500 |
| 6206 | 30 | 62 | 16 | 1.0 | 1950 | 1120 | 10000 | 6500 |
| 6207 | 35 | 72 | 17 | 1.1 | 2550 | 1520 | 8500 | 5500 |
| 6208 | 40 | 80 | 18 | 1.1 | 2900 | 1790 | 7500 | 5000 |
| 6209 | 45 | 85 | 19 | 1.1 | 3250 | 2050 | 7000 | 4600 |
| 6210 | 50 | 90 | 20 | 1.1 | 3500 | 2320 | 6500 | 4300 |
| 6211 | 55 | 100 | 21 | 1.5 | 4780 | 3200 | 6000 | 3900 |
| 6211F | 55 | 100 | 21 | - | 4780 | 3200 | 6000 | 3900 |
| 6211K | 55 | 100 | 21 | - | 4780 | 3200 | 6000 | 3900 |
| 6212 | 60 | 110 | 22 | 1.5 | 5200 | 3590 | 5500 | 3500 |
| 6212K | 60 | 110 | 22 | - | 5200 | 3590 | 5500 | 3500 |
| 6213 | 65 | 120 | 23 | 1.5 | 5700 | 4000 | 5000 | 3200 |
| 6214 | 70 | 125 | 24 | 1.5 | 6200 | 4390 | 4600 | 3100 |
| 6215 | 75 | 130 | 25 | 1.5 | 6600 | 4930 | 4000 | 2900 |
| 6215K | 75 | 130 | 25 | - | 6600 | 4930 | 4000 | 2900 |

| | | | | | | | | |
|---------------|----------------------------|-----------------------------|----------------|-----|-------|------|-------|-------|
| 6300 | 10 | 35 | 11 | 0.6 | 810 | 350 | 20000 | 15000 |
| 6301 | 12 | 37 | 12 | 1.0 | 970 | 420 | 18000 | 14000 |
| 6302 | 15 | 42 | 13 | 1.0 | 1130 | 530 | 16000 | 11000 |
| 6303 | 17 | 47 | 14 | 1.0 | 1350 | 660 | 14000 | 10000 |
| 6304 | 20 | 52 | 15 | 1.1 | 1590 | 790 | 13000 | 9000 |
| 6305 | 25 | 62 | 17 | 1.1 | 2370 | 1220 | 10000 | 7000 |
| 6306 | 30 | 72 | 19 | 1.1 | 2800 | 1575 | 9000 | 6000 |
| 6307 | 35 | 80 | 21 | 1.5 | 3350 | 1920 | 8000 | 5500 |
| 6308 | 40 | 90 | 23 | 1.5 | 4050 | 2400 | 7000 | 5000 |
| 6309 | 45 | 100 | 25 | 1.5 | 5300 | 3170 | 6000 | 4300 |
| 6310 | 50 | 110 | 27 | 2.0 | 6200 | 3750 | 5500 | 3900 |
| 6311 | 55 | 120 | 29 | 2.0 | 7150 | 4500 | 5000 | 3600 |
| 6312 | 60 | 130 | 31 | 2.1 | 8200 | 5200 | 4700 | 3300 |
| 6313 | 65 | 140 | 33 | 2.1 | 9270 | 6000 | 4400 | 3000 |
| 6314 | 70 | 150 | 35 | 2.1 | 10400 | 6800 | 4100 | 2900 |
| 6315 | 75 | 160 | 37 | 2.1 | 11350 | 7700 | 3800 | 2700 |
| 6901 | 12 | 24 | 6 | 0.3 | 289 | 145 | 30000 | - |
| 6902 | 15 | 28 | 7 | 0.3 | 365 | 200 | 26000 | - |
| 6905 | 25 | 42 | 9 | 0.3 | 700 | 450 | 16000 | - |
| 16003 | 17 | 35 | 8 | 0.3 | 610 | 324 | 17000 | - |
| 16004 | 20 | 42 | 8 | 0.3 | 835 | 450 | 15000 | - |
| 16005 | 25 | 47 | 8 | 0.5 | 837 | 511 | 13000 | - |
| 16007 | 35 | 62 | 9 | 0.3 | 1230 | 883 | 9500 | - |
| 16010 | 50 | 80 | 10 | 0.6 | 1610 | 1310 | 7000 | - |
| 98204 | 20 | 42 | 9 | 0.6 | 940 | 510 | 17000 | - |
| 98205 | 25 | 52 | 9 | 0.6 | 1245 | 735 | 14000 | - |
| 98305 | 25 | 62 | 12 | 1.0 | 1660 | 960 | 12000 | - |
| 613963 | 12 | 40 | 12 | 1.2 | 1150 | 505 | 19000 | - |
| RLS – 16 | 50.805 +0.005 -0.005 | 101.579 +0.020 -0.033 | 20.638 | 2.3 | 4780 | 3200 | 6000 | - |
| MS 12 | 31.75 | 79.375 | 22.09 22.22 | 2.4 | 2790 | 1950 | 8000 | - |
| SP 28 | 28 | 72 | 18 | 1.5 | 2230 | 1460 | 8500 | - |
| SP 22 | 22 | 57 | 16 | 0.3 | 2070 | 1100 | 12000 | - |
| SP 25 | 25 | 62 | 17 | 0.3 | 2500 | 1300 | 10000 | - |
| SP 6718.436.2 | 36.2 | 67 | 18.4 | 0.8 | 2250 | 1339 | - | 6000 |
| SP 722517 | 25 | 72 | 17 | 1.5 | 2130 | 1106 | 7500 | - |
| 72-26-18 | 28 | 72 | 18 | 1.5 | 2570 | 1530 | 7000 | - |
| KRY 20-55-11 | 20 | 55 | 11 | 1.2 | 1320 | 830 | 10000 | - |
| SP 35 | 35 | 80 | 21 | 1.5 | 3350 | 1920 | - | 5500 |
| SP 45 | 45 | 100 - 0.026 | 25 | 1.5 | 5300 | 3170 | - | 4300 |

| | | | | | | | | |
|--------------|----|--------------------------|----|-----|------|-----|-------|---|
| | | - 0.037 | | | | | | |
| SP 6203 Z | 17 | 40 - 0.026 - 0.037 | 12 | 0.6 | 960 | 460 | 16000 | - |
| SP 6003 | 17 | 35 | 10 | 0.3 | 680 | 336 | 17000 | - |
| KTNA12X28X8 | 12 | 28 | 8 | 0.3 | 490 | 230 | 23000 | - |
| KTNA17X35X10 | 17 | 35 | 10 | 0.3 | 610 | 325 | 17000 | - |
| KTNA20X47X14 | 20 | 47 | 14 | 1 | 1285 | 670 | 13000 | - |
| KTN6003 | 17 | 35 | 10 | 0.3 | 610 | 325 | 17000 | - |

INDEX : d - Bore Diameter, D - Outer Diameter, B - Bearing Width, r - Corner Radius, RPM - Revolution / Minute